S45 0	57	print\$5 AND thumbnails and aspect adj ratio SAME (reduce or reducing or reduction) NOT S448	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/10/14 17:11
S45 1	57	print\$5 AND thumbnails and aspect adj ratio SAME (reduce or reducing or reduction) NOT S448 NOT S445	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 17:19
S45 2	483	print\$5 WITH (margin\$5 or border\$5) AND thumbnails	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 17:19
S45 3	356	print\$5 near4(margin\$5 or border\$5) AND thumbnails	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 17:20
S45 4	321	print\$5 near3 (margin\$5 or border\$5) AND thumbnails	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 17:20
S45 5	46	print\$5 near3 (margin\$5 or border\$5) AND thumbnails AND aspect adj ratio	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 17:20
S45 6	21	print\$5 near3 (margin\$5 or border\$5) AND thumbnails AND index adj print	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 17:27
S45 7	66	"printing data" AND "display data" AND thumbnails	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 17:27

S45 8	5	"printing data" SAME "display data" AND thumbnails	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 17:30
S45 9	224	print\$5 WITH original adj shape	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 17:31
S46 0	0	print\$5 WITH original adj shape AND thumbnails	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 17:31
S46 1	65575	print\$5 near2 without (portion or part) AND thumbnails	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 17:32
S46 2		print\$5 near2 without near2 (portion or part) AND thumbnails	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 17:33
S46 3	4	print\$5 near2 without near2 (portion or part or section) AND thumbnails	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 17:34
S46 4	1367	print\$5 near4 (portion or part) AND thumbnails	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 17:34
S46 5	191	print\$5 near4 (portion or part) AND thumbnails AND aspect adj ratio	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 17:39

S46 6	11	non-print AND thumbnail	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 17:40
S46 7	141	non-display AND thumbnail	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 17:40
S46 8	0	non-display WITH print\$% AND thumbnail	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 17:40
S46 9	10	non-display WITH print\$5 AND thumbnail	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 17:42
S47 0	0	non-display WITH print\$5 AND thumb-nail	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 17:43
S47 1	138	non-display WITH print\$5 AND image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 17:43
S47 2	4	Hoshino.in. AND thumbnail AND index adj print	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 17:49
S47 3	80	print\$5 WITH original adj size AND thumbnail	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 17:50

10/15/2007 12:28:46 PM C:\Documents and Settings\erice\My Documents\EAST\Workspaces\10539692andrandom.wsp

Page 49

				· · · · · · · · · · · · · · · · · · ·		T
S47 4	27	print\$5 WITH original adj size AND thumbnail AND (reduce or reduction or reducing or reduces)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 17:56
S47 5	729	print\$5 near2 data AND display\$5 near2 data AND thumbnail AND (reduce or reduction or reducing or reduces)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 17:57
S47 6	268	print\$5 near2 data SAME display\$5 near2 data AND thumbnail AND (reduce or reduction or reducing or reduces)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 17:57
S47 7	15	print\$5 adj data SAME display\$5 adj data AND thumbnail AND (reduce or reduction or reducing or reduces)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 18:02
S47 8	0	print\$5 adj data SAME display\$5 adj data AND thumbnail AND aspect adj ratio AND (border\$5 or cropp\$5 or trimm\$5 or margin\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 18:03
S47 9	0	print\$5 adj data SAME display\$5 adj data AND thumbnail AND aspect adj ratio	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/10/14 18:03
S48 0	5	print\$5 adj data SAME display\$5 adj data AND thumbnail AND index adj print	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 18:05
S48 1	12	print\$5 adj data SAME display\$5 adj data AND thumbnail AND (cropp\$5 or border\$5 or margin\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 18:07

_			T	T ==		
S48 2	16	print\$5 adj data SAME display\$5 adj data AND thumbnail AND print\$5 near2 without	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 18:10
S48 3	20	print\$5 adj data SAME display\$5 adj data AND thumbnail AND print\$5 near2 (without or original)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 18:08
S48 4	5	print\$5 adj data SAME display\$5 adj data AND thumbnail AND print\$5 near2 (original)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 18:12
S48 5	39	print\$5 near3 non-display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 18:13
S48 6		print\$5 near3 non-display adj portion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 18:13
S48 7	· 736	print\$5 near3 inscribed	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 18:14
S48 8		print\$5 near3 without near3 inscribed /	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 18:14
\$48 9	3	print\$5 near3 inscribed AND thumbnail	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 18:19

				т	T	
S49 0		print\$5 near3 inscri\$7 AND thumbnail	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 18:22
S49 1	. 14	print\$5 adj data SAME display\$5 adj data AND print\$5 adj original	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 18:24
S49 2	1	print\$5 adj data SAME display\$5 adj data AND print\$5 WITH borderless	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 18:24
S49 3	0	print\$5 adj data SAME display\$5 adj data AND print\$5 WITH (unedited)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 18:26
S49 4	4	"6943834"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 21:57
S49 5	2	("6208770").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 05:23
S49 6	0	thumbnails SAME "3:4" AND "4:3" AND index adj print	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/14 22:10
S49 7	0	thumbnails AND "3:4" AND "4:3" AND index adj print	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/14 22:11

S49 8	4	thumbnails AND "3:4" AND "4:3" AND index adj print	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 22:13
S49 9	0	thumbnails SAME different adj shapes SAME wide SAME long	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 22:14
S50 0	0	thumbnails SAME different adj shapes SAME aspect adj ratio	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 22:14
S50 1	7	thumbnails SAME different adj aspect adj ratio	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 22:17
S50 2	0	thumbnails SAME long-shaped	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 22:18
S50 3	1	thumbnails SAME long near2 shaped	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON .	2007/10/14 22:18
S50 4	. 2	thumbnails SAME long near2 shape\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 22:18
\$50 5	80	thumbnails AND different adj aspect adj ratios	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 22:19

S50 6	0	thumbnails AND opposite adj aspect adj ratios	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 22:19
S50 7	7	thumbnails SAME different adj aspect adj ratios	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 22:20
S50 8	840390	3:4 AND 4:3 AND thumbnails AND index print	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 22:20
S50 9	840388	3:4 AND 4:3 SAME index print	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 22:20
S51 0	0	3:4 AND 4:3 SAME index adj print	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 22:21
S51 1	0	"3:4" AND "4:3" SAME index adj print	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 22:21
S51 2	549	"3:4" AND "4:3"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 22:21
S51 3	10	"3:4" AND "4:3" SAME thumbnails	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 22:40

S51 4	0	letterboxing SAME thumbnails	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2007/10/15 00:22
S51 5	80	letterboxing	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2007/10/14 22:41
S51 6	10	letterboxing AND thumbnail	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 22:41
S51 7	- 10	letterboxing AND thumbnails	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON·	2007/10/14 22:45
S51 8	47	letterbox\$4 AND thumbnails	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 22:46
S51 9	0	letterbox\$4 AND thumbnails not S518	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2007/10/14 22:46
S52 . 0	37	letterbox\$4 AND thumbnails not S517	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 22:52
S52 1	1	letterbox\$4 AND index adj print	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 22:52

S52 2	13	letterbox\$4 AND "3:4" AND "4:3"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 23:02
S52 3	5	index adj print AND "3:4" AND "4:3"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 23:16
S52 4	12	index adj print SAME different adj sizes	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 23:20
\$52 5		index adj print SAME wide SAME long	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 23:22
S52 6	5	index adj print AND 3:4 AND 4:3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 23:27
S52 7	26	index adj print SAME aspect adj ratios	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 23:45
S52 8	4	"200302 44 18"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 23:47
S52 9	4	"6943834"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 00:01

S53 0	6	"6456391"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 00:03
S53 1	2	"200154043"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 00:22
S53 2	90615	portrait to landscape	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 00:22
S53 3	0	"portrait to landscape"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 00:22
S53 4		"landscape to portrait"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 00:22
S53 5	3802	landscape near3 portrait	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 00:23
S53 · 6	0	landscape near2 to near2 portrait	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 00:23
S53 7	0	landscape near2 to near2 portrait	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 00:23

S53 8	147	landscape near2 portrait WITH degrees	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 00:23
S53 9	. 22	landscape near2 portrait WITH degrees AND thumbnail	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 00:36
S54 0	1	landscape near2 portrait AND landscape WITH index adj print	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 00:37
S54 1		portrait WITH landscape WITH index adj print	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 00:38
S54 2	0	4:3 WITH index adj print	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 00:38
S54 3	. 0	"4:3" WITH index adj print	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 00:38
S54 4	4	landscape WITH index adj print	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 00:41
S54 5	2	Luo.in. AND index adj print	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 00:42

		Y		· · · · · · · · · · · · · · · · · · ·	1	
S54 6	218	orientations AND index adj print	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 00:43
S54 7	1	mixed near2 orientations AND index adj print	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 00:46
S54 8	0	lanscape near2 orientations AND index adj print	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 00:46
S54 9	0	lanscape near2 orientation AND index adj print	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 00:46
S55 0	0	lanscape adj orientation AND index adj print	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2007/10/15 00:52
S55 1	4	"678490 4 "	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 01:14
S55 2	0	different adj orientations SAME index adj print	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 01:17
S55 3	2	particular adj orientation SAME index adj print	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 01:21

S56 2	1715	display adj screen WITH orientation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 01:43
S56 3	89	display adj screen WITH orientation WITH portrait and landscape	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 01:43
S56 4	80	display adj screen WITH orientation WITH portrait WITH landscape	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/10/15 01:44
S56 5	0	display adj screen WITH orientation WITH portrait WITH landscape WITH thumnnails	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 01:44
S56 6		display adj screen WITH orientation WITH portrait WITH landscape WITH thumnnail	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 01:44
S56 7	0	display adj screen WITH orientation WITH portrait WITH landscape SAME thumnnail	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/10/15 01:44
S56 8		display adj screen WITH orientation WITH thumbnails	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON -	2007/10/15 01:45
S56 9	0	display adj screen WITH thumbnails WITH landscape WITH portrait	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/10/15 01:45